Downloaded from SEE academy: www.seeacademy.coza

Province of the
EASTERN CAPE
EDUCATION

NATIONAL SENIOR CERTIFICATE

GRADE 11

NOVEMBER 2024

MATHEMATICS P2

MARKS: 150

TIME: 3 hours

SEE ACADEMY

IMAT2

This question paper consists of 16 pages, including 1-page information sheet, and an answer book of 25 pages.

Downloaded from SEE academy: www.seeacademy.coza

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

1. This question paper consists of 10 questions.
2. Answer ALL the questions in the SPECIAL ANSWER BOOK provided.
3. Clearly show ALL calculations, diagrams, graphs, etc. which you have used in determining the answers.
4. Answers only will NOT necessarily be awarded full marks.
5. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
6. If necessary, round off answers to TWO decimal places, unless stated otherwise.
7. Diagrams are NOT necessarily drawn to scale.
8. An information sheet with formulae is included at the end of the question paper.
9. Write neatly and legibly.

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

QUESTION 1

After utilising GeoGebra to teach geometry, the 14 participants marks out of 100 are displayed in the table below.

16	28	41	41	42	52	54
55	58	59	60	62	64	99

1.1 Write down the mode of the data. (1)

1.2 Identify any outlier. (1)

1.3 Determine the median of the data. (2)

1.4 Determine the interquartile range of the data. (3)

1.5 Draw a box and whisker diagram using the number line provided in the answer book. (2)

1.6 Comment on the skewness of the data by using the box and whisker diagram. (1)
[10]

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

QUESTION 2

The weight of the boxers who underwent fitness and health checks is shown in the frequency table below.

WEIGHT OF BOXERS	FREQUENCY	CUMULATIVE FREQUENCY
$35 \leq x < 55$	1	
$55 \leq x < 75$	3	
$75 \leq x < 95$	9	
$95 \leq x < 115$	6	
$115 \leq x < 135$	3	
$135 \leq x < 155$	1	

2.1 Complete the cumulative frequency column provided in the table in the ANSWER BOOK. (2)

2.2 Write down the total number of boxers. (1)

2.3 Estimate the mean for the data. (3)

2.4 Use the grid provided in the ANSWER BOOK to draw a cumulative frequency graph (ogive) for the data. (3)

2.5 It is further given that, for a boxer to qualify for the next upcoming match, he must have a mass that is in the interval of $75 < x \leq 100$.

Using the cumulative frequency graph (ogive) and estimate the number of boxers that will qualify for the upcoming match. (2)


[11]

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

QUESTION 3

In the diagram, P(;) , $(-2\,;\,2)$ and R$(2\,;\,3)$ are the vertices of triangle PQR. Line PR passes through the point of origin at O. The equation of line PQ is given as $y \quad 6x \quad 14$. S is the x-intercept of line QP.



3.1 Calculate the gradient of PR. (2)

3.2 Determine the equation of PR. (3)

3.3 Determine the coordinates of P. (4)

3.4 Determine the coordinates of S. (1)

[10]


SEE ACADEMY

Copyright reserved

Downloaded from SEE academy: www.seeacademy.coza

QUESTION 4

In the diagram, ΔABC is drawn with vertices A 7 ; 0 , B (3 ; 8) and C. P is the midpoint of line AB. Q is a point on line AC. AQC is a line on the x-axis. E $-$ $-$; 2 is a point on line PQ. PQ$\|$BC



4.1 Calculate the:

4.1.1 Coordinates of P (2)

4.1.2 Gradient of AB (2)

4.1.3 Size of θ (2)

4.2 Determine the equation of BC in the form = + . (5)

4.3 Calculate the:

4.3.1 Length of AC (3)

4.3.2 Area of trapezium PBCQ (6)

[20]

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

QUESTION 5

5.1 If $3\tan E \quad \sqrt{5} \quad 0$ and $\sin E \quad 0$. Determine the value of $\sin^2 E \quad \cos^2 E$ with the aid of a diagram. (5)

5.2 If $\cos 49° = k$, determine the values of the following in terms of k.

5.2.1 $\sin 131\theta$ (2)

5.2.2 $1 \quad \cos^2 41\theta$ (2)

5.3 Simplify the expression to a single trigonometric ratio of x

$$\frac{\tan(180° -).\cos(-)+\sin \quad (360^\circ -)\cos(90° -)}{\sin(180° -)}$$ (7)

5.4 Simplify, **without the use of a calculator**:

$\sin(-15°).\cos 75° + \tan 75°.\cos 75°.\cos 165°$ (5)

5.5 Prove the identity: $\frac{3\cos}{1+\sin} + 3\tan = \frac{3}{\cos}$ (4)

5.6 Determine the general solution of: $\sin^2 x \quad 3\cos^2 x \quad 0$ (5)


[30]

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

QUESTION 6

The graph of $f(x) = \cos(x + 30°)$ in the interval of $\in [-120 \quad ; 150]$ has been drawn in the diagram below.



6.1 Write down the period of f. (1)

6.2 Write down the range of $h(x) = f(x + 60°) + 1$. (2)

6.3 Write down the equation of h in its simplest form. (2)

6.4 Draw the graph of $h(x)$ on the grid provided in your ANSWER BOOK. (3)

6.5 Use the graph to answer the following questions in the interval $\in [-120 \quad ; 150]$.

For which values of x is:

6.5.1 f having a minimum value? (1)

6.5.2 $h\ x\ \upsilon f\ x\ \delta 0$? (2)

6.5.3 $f\ x \quad h\ x$? (1)


[12]

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

QUESTION 7

In the diagram, VP PQ 5 units, $R\hat{Q}P$ $S\hat{P}V$ Δ, $S\hat{P}R$ E and PS $\|$ QR. SV is perpendicular to VP.



7.1 Express PS in terms of Δ. (1)

7.2 Determine RP in terms of Δ and E. (3)

7.3 Hence show that the area of ∋ RPS $\frac{25.\tan\Delta}{2}$ (3)

[7]

SEE ACADEMY


Downloaded from SEE academy: www.seeacademy.coza

QUESTION 8

In the diagram, a lid with a hemispherical form seals an open cone. The slanted height of the cone is 13 cm, the diameter of the cone and hemisphere is 10 cm, the height of the cone h cm.

Formulae:

$V \quad \frac{2}{3}\Sigma r^3 \qquad V \quad \frac{1}{3}\Sigma r^2 h \qquad$ Surface Area $\quad \Sigma r^2 \quad \Sigma rs \qquad$ Surface Area $\quad 2\Sigma r^2$



8.1 Determine the height of the cone. (3)

8.2 Write down the height of the container (height of the whole shape). (1)

8.3 Calculate the volume of this container. (3)

8.4 Determine the total surface area of the container. (3)


[10]

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

QUESTION 9

9.1 In the diagram, ABCD is a cyclic quadrilateral. O is the centre of the circle.




Use the diagram above to prove the THEOREM which states that, the opposite angles of a cyclic quadrilateral add up to 180°, then prove that, $\hat{B} + \hat{D} = 180^\circ$. (5)

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

9.2 In the diagram, O is the centre of the circle with a reflex angle of 230θ. P, Q, R and S are points on the circumference of the circle with chord SR extended to point T. $Q\hat{R}T = 85\theta$ and $O\hat{P}S = 20\theta$.



Calculate the magnitude of the following angles:

9.2.1 $\hat{S}$ (2)


9.2.2 $\hat{Q}$ (2)

9.2.3 $\hat{P}_1$ (2)

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

9.3 In the diagram, PQRS is a cyclic quadrilateral. QA intersects SR at point A. SA = 130° and AQ = 20° .



Calculate, giving reasons, the size of $\hat{P}$. (4)


[15]

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

QUESTION 10

10.1 In the diagram, O is the centre of circle ABP. PB is extended to C. AC is drawn. PN is a tangent to the circle at P. OC intersects AP perpendicularly at point O.
$P = 37°$



10.1.1 Determine, giving reasons, the size of $\hat{O}_1$. (4)

10.1.2 Prove that:

(a) OACB is a cyclic quadrilateral (4)


(b) OC $\parallel$ PN (3)

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

10.2 In the diagram, PAT is the common tangent of the smaller and larger circles at A. AMB is the diameter of the larger circle with M on the circumference of the smaller circle. ASC and BC are chords of the larger circle and MS chord of the smaller circle. M is the centre of the larger circle.

It is also given that, the length of AM = p units, AS = (p – 1) units and BC = 6 units.



10.2.1 Name, giving reasons, 3 angles equal to 90^0. (6)

10.2.2 Give a reason why MS || BC. (1)

10.2.3 Write down the ratio of AS : SC with a reason. (2)

10.2.4 Write down the length of MS with a reason. (2)

10.2.5 Calculate the value of p. (3)

[25]

TOTAL: 150

SEE ACADEMY

Downloaded from SEE academy: www.seeacademy.coza

INFORMATION SHEET: MATHEMATICS

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$A = P(1 + ni) \qquad A = P(1 - ni) \qquad A = P(1 + i)^n \qquad A = P(1 - i)^n$$

$$F = \frac{x\left[(1+i)^n - 1\right]}{i} \qquad P = \frac{x\left[1 - (1+i)^{-n}\right]}{i}$$

$$T_n = a + (n-1)d \qquad S_n = \frac{n}{2}\left[2a + (n-1)d\right]$$

$$T_n = ar^{n-1} \qquad S_n = \frac{a(r^n - 1)}{r - 1};\ r \neq 1 \qquad S_\infty = \frac{a}{1-r};\ -1 < r < 1$$

$$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2} \qquad M\left(\frac{x_1 + x_2}{2}; \frac{y_1 + y_2}{2}\right)$$

$$y = mx + c \qquad y - y_1 = m(x - x_1) \qquad m = \frac{y_2 - y_1}{x_2 - x_1} \qquad m = \tan\theta$$

$$(x-a)^2 + (y-b)^2 = r^2$$

In $\triangle ABC$: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$ $\qquad a^2 = b^2 + c^2 - 2bc.\cos A$ $\qquad$ area $\triangle ABC = \frac{1}{2}ab.\sin C$

$\sin(\alpha + \beta) = \sin\alpha.\cos\beta + \cos\alpha.\sin\beta$ $\qquad$ $\sin(\alpha - \beta) = \sin\alpha.\cos\beta - \cos\alpha.\sin\beta$

$\cos(\alpha + \beta) = \cos\alpha.\cos\beta - \sin\alpha.\sin\beta$ $\qquad$ $\cos(\alpha - \beta) = \cos\alpha.\cos\beta + \sin\alpha.\sin\beta$

$$\cos 2\alpha = \begin{cases} \cos^2\alpha - \sin^2\alpha \\ 1 - 2\sin^2\alpha \\ 2\cos^2\alpha - 1 \end{cases} \qquad \sin 2\alpha = 2\sin\alpha.\cos\alpha$$

$$\bar{x} = \frac{\sum x}{n} \qquad \sigma^2 = \frac{\sum_{i=1}^{n}(x_i - \bar{x})^2}{n} \qquad P(A) = \frac{n(A)}{n(S)} \qquad P(A \text{ or } B) = P(A) + P(B) - P(A \text{ and } B)$$

$$\hat{y} = a + bx \qquad b = \frac{\sum(x - \bar{x})(y - \bar{y})}{\sum(x - \bar{x})^2}$$

SEE ACADEMY

Copyright reserved