
KWAZULU-NATAL PROVINCE

EDUCATION
REPUBLIC OF SOUTH AFRICA

NATIONAL SENIOR CERTIFICATE



GRADE 11

MATHEMATICS

COMMON TEST

SEPTEMBER 2023

Stanmorephysics

MARKS: 75

TIME: 1½ hours

This question paper consists of 7 pages and 2 DIAGRAM SHEETS.

Copyright Reserved

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

1. This question paper consists of 4 questions.
2. Answer ALL the questions.
3. Number the answers correctly according to the numbering system used in this question paper.
4. Clearly show ALL calculations, diagrams, graphs, etc. which you have used in determining your answers.
5. Answers only will NOT necessarily be awarded full marks.
6. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
7. If necessary, round off answers correct to TWO decimal places, unless stated otherwise.
8. TWO DIAGRAM SHEETS FOR QUESTION 3.1.1, QUESTION 3.1.3 and QUESTION 4.2 are attached at the end of this QUESTION PAPER. Detach the DIAGRAM SHEETS and hand in together with your ANSWER BOOK.
9. Diagrams are NOT necessarily drawn to scale.
10. Write neatly and legibly.



Copyright Reserved

QUESTION 1

1.1 Eduard bought a car for R150 000. The value of the car will depreciate at 8,4% per year. Calculate the book value of the car in 10 years' time if depreciation is calculated using the:

1.1.1 straight-line method. (2)

1.1.2 reducing balance method. (2)

1.2 Nozipho invested R10 000 for 3 years at an interest rate of x% p.a., compounded monthly. The total amount of interest earned over the 3 year period was R3282, 71.

1.2.1 What was the total amount in the account at the end of the 3 year period? (1)

1.2.2 Calculate the value of x, the interest rate. (5)

1.2.3 Calculate the effective interest rate of this investment. (3)

1.3 Pravin's grandmother gave him an amount of money as a gift. He opened a savings account and deposited the full amount into this account. The account paid interest at the rate of 9% p.a., compounded quarterly.
He withdrew R70 000 from the account one year after his initial deposit.
At the end of the next year, the balance in the account was R72 838,06.
Calculate how much money Pravin received from his grandmother. (6)

[19]

QUESTION 2

2.1 The daily maximum temperature (in °C) and wind speed (in km/h) for a city were recorded for a period of 1 year (365 days).
The data was summarised in the table below.

	Number of days the maximum temperature was < 25 °C	Number of days the maximum temperature was ≥ 25 °C
No. of days the wind speed was ≥ 15 km/h	139	105
No. of days the wind speed was < 15 km/h	87	34

Use the information in this table to answer the questions below.

2.1.1 Calculate the probability that the maximum temperature was ≥ 25 °C on a randomly selected day. (2)

2.1.2 Calculate the probability that the maximum temperature was ≥ 25 °C and the wind speed was ≥ 15 km/h on a randomly selected day. (2)

2.1.3 Are the daily maximum temperature and wind speed independent events? Motivate your answer by calculations. (4)

Stanmorephysics

Copyright Reserved

2.2 For two events A and B, it is given that:

- P(A) = 0,3
- P(A and B) = 0,2
- P(not B) = 0,25

where A and B are two different events.

2.2.1 Draw a Venn diagram to represent this information. (3)

2.2.2 Determine P(A or B). (2)

2.3 Sizwe has enrolled with a driving school that guarantees that he will pass the test to obtain his driver's licence.

The probability that he will pass the driving test on his first attempt is $\frac{2}{5}$.

If he fails on his first attempt, the probability that Sizwe will pass the test on any attempt in the future is $\frac{2}{3}$.

Calculate the probability that Sizwe will pass the test in:

2.3.1 two attempts (2)

2.3.2 three attempts (2)

2.3.3 four or more attempts (2)

[19]

QUESTION 3

3.1 The weight at birth of babies born in clinics and hospitals over a period of time in a certain district were recorded. The results are summarised in the table below:

Weight (w) of baby at birth in kg	Number of babies born (frequency)
$1,0 \leq w < 1,5$	12
$1,5 \leq w < 2,0$	19
$2,0 \leq w < 2,5$	222
$2,5 \leq w < 3,0$	714
$3,0 \leq w < 3,5$	1131
$3,5 \leq w < 4,0$	782
$4,0 \leq w < 4,5$	234
$4,5 \leq w < 5,0$	43

3.1.1 Complete the cumulative frequency column of the table on DIAGRAM SHEET 1. (2)

3.1.2 What is the total number of babies whose weights were recorded at birth during this period of time? (1)


3.1.3 Use the grid provided on DIAGRAM SHEET 1 to represent the above information in a cumulative frequency graph (ogive). (4)

3.1.4 Use the ogive to estimate the median weight of a baby at birth. (2)

3.1.5 Babies whose weight at birth was below 2,4 kg will have to stay in an incubator for a few days to receive extra support. What percentage of the babies in this group were required to stay in an incubator? (2)

Stanmorephysics.com

3.2 On a certain day 20 babies were born in one of the hospitals. The weight at birth of these babies was summarised in the box and whisker diagram below.



Use the diagram to answer the questions below:

3.2.1 Calculate the interquartile range of the data. (2)

3.2.2 One of the doctors said that the mean weight of these babies was 3,5 kg. Could this possibly be correct? Clearly motivate your answer, using the box and whisker diagram. (3)

Copyright Reserved

3.3 A group of Grade 11 learners wrote a test, of which the total mark was 50. The marks obtained by them are listed in the table below:

24	28	7	22	19	10
28	39	15	13	8	45

3.3.1 Determine:

(a) the mean of the marks obtained (2)


(b) the standard deviation of the data (1)

3.3.2 The same group of learners wrote another test that was also out of 50 marks. The standard deviation for this test was 6,8 and the mean mark was 21. How does the distribution of the marks in this test compare with the other test? Motivate your answer. (2)

[21]

QUESTION 4

4.1 D, E, F and G are points on level ground.
DE = 47 cm, FG = 62 cm, DG = 83 cm, $D\hat{F}E = 90^\circ$ and $E\hat{D}F = 32^\circ$.




Calculate:

4.1.1 the length of DF (2)


4.1.2 the size of $\hat{F}_1$ (4)

4.2 Given: Acute-angled ΔPQR.



Use the sketch provided on DIAGRAM SHEET 2 to prove that $\frac{\sin Q}{PR} = \frac{\sin R}{PQ}$. (5)

4.3 In the diagram, triangle ABD is drawn, with C a point on BD such that BC = CD = k.
$\hat{B} = x$ and $B\hat{A}C = y$.



Show that the area of $\Delta ACD = \frac{k^2 \sin x.\sin(x+y)}{2\sin y}$. (5)

[16]

TOTAL: 75


NAME & SURNAME:

DIAGRAM SHEET 1

QUESTION 3.1.1

Weight (w) of babies at birth (in kg)	Number of babies (frequency)	Cumulative frequency
$1,0 \leq w < 1,5$	12	
$1,5 \leq w < 2,0$	19	
$2,0 \leq w < 2,5$	222	
$2,5 \leq w < 3,0$	714	
$3,0 \leq w < 3,5$	1131	
$3,5 \leq w < 4,0$	782	
$4,0 \leq w < 4,5$	234	
$4,5 \leq w < 5,0$	43	

QUESTION 3.1.3



TEAR OFF


Copyright Reserved

NAME & SURNAME:

DIAGRAM SHEET 2

TEAR OFF

QUESTION 4.2



Copyright Reserved