
KWAZULU-NATAL PROVINCE

EDUCATION

REPUBLIC OF SOUTH AFRICA

NATIONAL SENIOR CERTIFICATE

GRADE 12



MATHEMATICS

COMMON TEST

JUNE 2024

MARKS: 150

TIME: 3 hours

This question paper consists of 11 pages, an information sheet and an answer book of 16 pages.

Copyright Reserved

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

1. This question paper consists of 8 questions.

2. Answer **ALL** the questions in the **ANSWER BOOK** provided.

4. Clearly show ALL calculations, diagrams, graphs, etc. which you have used in determining your answers.

5. Answers only will NOT necessarily be awarded full marks.

6. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.

7. If necessary, round off answers correct to TWO decimal places, unless stated otherwise.

8. An information sheet with formulae is included at the end of the question paper.

9. Write neatly and legibly.


Copyright Reserved

QUESTION 1

In the diagram, DEFG is a parallelogram with vertices $D(x\,;7)$, $E(-5\,;0)$, $F(1\,;-8)$ and G. $GH \perp EF$, with H on EF, such that EH = HF. The angle of inclination of DG is β.

DE has a positive gradient. DG cuts the *y*-axis at $J\left(0\,;\frac{5}{3}\right)$ and the *x*-axis at K.

The length of DE = $5\sqrt{2}$.



1.1 Calculate the gradient of EF. (2)

1.2 Calculate the coordinates of H. (2)

1.3 Determine the equation of GH in the form $y = mx + c$. (3)

1.4 Calculate the size of β. (3)

1.5 Calculate the size of $O\hat{J}K$. (2)

1.6 Calculate the value of x. (5)


1.7 Calculate the area of DEOJ. (6)

[23]

Copyright Reserved

QUESTION 2

In the diagram below, $P(3;-2)$ is the centre of a circle that has the *y*-axis as tangent.
A and B are the *x*-intercepts of circle P.



2.1 Determine

2.1.1 the radius of the circle (1)

2.1.2 the equation of the circle (1)

2.2 Calculate the distance AB. (4)

2.3 Another circle has the equation $x^2 + 2x + y^2 - 8y - 8 = 0$. Determine the radius and the coordinates of the centre of this circle. (4)

2.4 Will the two circles intersect? Clearly motivate your answer by means of calculations. (5)

2.5 The circle with centre P is reflected about the line $y = -1$. Write down the equations of the horizontal tangents to the new circle formed through this reflection. (2)


[17]

Copyright Reserved

QUESTION 3

DO NOT USE A CALCULATOR WHEN ANSWERING QUESTION 3.

3.1 In the diagram below, P is a point in the first quadrant such that $5\cos\theta = 3$.
$R(k\ ;\ 6)$ is a point in the second quadrant such that $P\hat{O}R = 90°$.



Determine the value of the following:

3.1.1 $\tan\theta$ (3)

3.1.2 $\sin 2\theta$ (3)

3.1.3 k (5)

3.2 Simplify fully: $\cos(385° + \beta).\sin(35° - \beta) + \sin(25° + \beta).\sin(55° + \beta)$ (4)

3.3 Given: $\sin 3\theta = 4\sin\theta.\cos^2\theta - \sin\theta$.

3.3.1 Prove the given identity. (5)

3.3.2 Hence, or otherwise, prove the following identity: $\dfrac{\sin 3\theta + \sin\theta}{2 + 2\cos 2\theta} = \sin\theta$ (3)

3.3.3 Determine all the values of θ for which the identity in QUESTION 3.3.2 will be undefined. (4)


3.4 Determine the minimum value of: $\cos 3x - 5$. (2)

[29]

Copyright Reserved

QUESTION 4

In the diagram below, RT represents the height of a vertical tower, with T the foot of the tower. A and B represent two points equidistant from T, and which lie in the same horizontal plane as T.
The height of the tower is *h*. The angle of depression of B from R is α.
$R\hat{B}A = \beta$.



4.1 Determine the size of $A\hat{R}B$ in terms of β. (1)


4.2 Prove that $AB = \dfrac{2h.\cos\beta}{\sin\alpha}$ (6)

4.3 Calculate the height of the tower , rounded off to the nearest unit, if AB = 5,4 units, $\alpha = 51°$ and $\beta = 65°$. (3)

[10]

QUESTION 5

In the diagram, the graph of $g(x) = a\sin x$ is drawn for the interval $x \in [-180° ; 180°]$.
$A(-90° ; -2)$ are the coordinates of a turning point of the graph.



5.1 Write down the value of a. (1)

5.2 On the grid provided in the ANSWER BOOK, draw the graph of $f(x) = 2\cos(x - 30°)$ for $x \in [-180° ; 180°]$. Clearly indicate all intercepts with the axes, as well as the turning points and end points of the graph. (4)

5.3 Write down:

5.3.1 the range of f (2)

5.3.2 the period of $g(3x)$ (2)

5.4 Determine algebraically the values of x if $f(x) = g(x)$, for $x \in [-180° ; 180°]$. (5)

5.5 Determine the value(s) of x, in the interval $x \in [-180° ; 180°]$, for which

5.5.1 $g'(x) = 0$? (2)

5.5.2 $f(x) > g(x)$? (2)


[18]

Copyright Reserved

GIVE REASONS FOR YOUR STATEMENTS IN QUESTIONS 6, 7 AND 8.

QUESTION 6

6.1 SR is a diameter of the circle in the sketch below. Chord ST is produced to P.
PR is a tangent to the circle at R.
Chord SV produced meets PR at Q. TV and TR are drawn.



6.1.1 Write down the size of $P\hat{R}S$. Provide a reason. (2)

6.1.2 Calculate the size of:

(a) $\hat{P}$ (3)


(b) $\hat{V}_1$ (3)

6.1.3 Prove that $P\hat{Q}S = V\hat{T}S$. (4)

Copyright Reserved

6.2 In the diagram below, the bigger circle has points E, O, C and D on its circumference. O is the centre of the smaller circle. C is a point of intersection between the two circles, and A and F are two more points on the circumference of the smaller circle. ABCD and BOFE are straight lines.

$\hat{A} = 66°$ and $\hat{E} = 42°$.




Prove that AB = BC. (6)

[18]


QUESTION 7

7.1 In the diagram, chords ST, SR and TR are drawn in the circle with centre O. VSU is a tangent to the circle at S.



Use the diagram to prove the theorem which states that $V\hat{S}T = \hat{R}$. (5)

7.2 LG is a tangent to circle EFGHP at G. Chord PH is produced to L. Chord HF cuts chord GP in M and chord EG in K. EG || PL and EF = PH. $\hat{G}_4 = x$.



7.2.1 Write down, with reasons, THREE other angles, each equal to *x*. (6)

7.2.2 Prove that $\Delta HMG \,|||\, \Delta EFG$. (5)


7.2.3 Hence, or otherwise, prove that $PH.HG = EG.HM$. (3)

[19]

Copyright Reserved

QUESTION 8

In the diagram below, ΔABC is drawn with D on BC, and F and E on AC such that $AB \| ED$, $EB \| FD$, $AB \perp BC$ and $BE \perp AC$. AC = 6,5 units and BC = 6 units.



8.1 Determine the length of AB. (2)

8.2 Prove that $CB = \sqrt{CA.CE}$. (6)

8.3 Hence, determine the length of CE, correct to one decimal place. (2)

8.4 Write down the length of AE. (1)

8.5 Determine the length of EF. (5)

[16]

TOTAL: 150

Copyright Reserved

INFORMATION SHEET: MATHEMATICS

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$A = P(1+ni) \qquad A = P(1-ni) \qquad A = P(1-i)^n \qquad A = P(1+i)^n$$

$$T_n = a + (n-1)d \qquad S_n = \frac{n}{2}\left[2a + (n-1)d\right]$$

$$T_n = ar^{n-1} \qquad S_n = \frac{a\left(r^n - 1\right)}{r-1} \;;\; r \neq 1 \qquad S_\infty = \frac{a}{1-r} \;;\; -1 < r < 1$$

$$F = \frac{x\left[(1+i)^n - 1\right]}{i} \qquad P = \frac{x[1-(1+i)^{-n}]}{i}$$

$$f'(x) = \lim_{h \to 0} \frac{f(x+h) - f(x)}{h}$$

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2} \qquad \mathrm{M}\left(\frac{x_1 + x_2}{2}; \frac{y_1 + y_2}{2}\right)$$

$$y = mx + c \qquad y - y_1 = m(x - x_1) \qquad m = \frac{y_2 - y_1}{x_2 - x_1} \qquad m = \tan\theta$$

$$(x-a)^2 + (y-b)^2 = r^2$$

InΔABC:

$$\frac{a}{\sin \mathrm{A}} = \frac{b}{\sin \mathrm{B}} = \frac{c}{\sin \mathrm{C}}$$

$$a^2 = b^2 + c^2 - 2bc.\cos A$$

$$area\ \Delta\mathrm{ABC} = \frac{1}{2}ab.\sin \mathrm{C}$$

$$\sin(\alpha + \beta) = \sin\alpha.\cos\beta + \cos\alpha.\sin\beta \qquad \sin(\alpha - \beta) = \sin\alpha.\cos\beta - \cos\alpha.\sin\beta$$

$$\cos(\alpha + \beta) = \cos\alpha.\cos\beta - \sin\alpha.\sin\beta \qquad \cos(\alpha - \beta) = \cos\alpha.\cos\beta + \sin\alpha.\sin\beta$$

$$\cos 2\alpha = \begin{cases} \cos^2\alpha - \sin^2\alpha \\ 1 - 2\sin^2\alpha \\ 2\cos^2\alpha - 1 \end{cases} \qquad \sin 2\alpha = 2\sin\alpha.\cos\alpha$$

$$\bar{x} = \frac{\sum x}{n} \qquad \sigma^2 = \frac{\sum_{i=1}^{n}\left(x_i - \bar{x}\right)^2}{n}$$

$$\mathrm{P(A)} = \frac{n(\mathrm{A})}{n(\mathrm{S})} \qquad \mathrm{P(A\ or\ B) = P(A) + P(B) - P(A\ and\ B)}$$

$$\hat{y} = a + bx \qquad b = \frac{\sum(x - \bar{x})(y - \bar{y})}{\sum(x - \bar{x})^2}$$

Copyright Reserved