LIMPOPO

PROVINCIAL GOVERNMENT

REPUBLIC OF SOUTH AFRICA

DEPARTMENT OF

EDUCATION

NATIONAL SENIOR CERTIFICATE

Stanmorephysics.com

GRADE 11

MATHEMATICS P1

JUNE 2025

Stanmorephysics.com

MARKS: 100

TIME: 2hours

This question paper consists of 6 pages

Copyright reserved

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

1. This question paper consists of FOUR questions.
2. Answer all questions.
3. Clearly show ALL calculations, diagrams, graphs, etc. which you have used in determining the answers.
4. Answers only will NOT necessarily be awarded full marks.
5. You may use an approved scientific calculator (non-programmable and non-graphical) unless stated otherwise.
6. If necessary, round off your answers to TWO decimal places, unless stated otherwise.
7. Diagrams are NOT necessarily drawn to scale.
8. Write neatly and legibly

Stanmorephysics.com

QUESTION 1

1.1 *If* $x \in \{0; 2; 4; 6\}$ Determine the values of x for which $\sqrt{\frac{8}{4-x}}$ is

1.1.1 Undefined (1)

1.1.2 Irrational (1)

1.2 Solve for x

1.2.1 $x^2 - 4x = 0$ (2)

1.2.2 $3x^2 - 4 = 5x$ correct to 2 decimal places (5)

1.2.3 $2\sqrt{x-3} = x - 3$ (5)

1.2.4 $(x-4)(x+3) \geq -6$ (6)

1.3 Solve simultaneously for x *and* y

$3y = x + 1$ *and* $(x-y)(5y-3x) = 0$ (6)

1.4 If $x = 8$ is one root of $x + \frac{48}{x} = 14$, determine one root of y for which

$3y - 4 + \frac{48}{3y-4} = 14$ (2)

[28]

QUESTION 2

2.1 Determine the value of $\frac{2^{2025}-2^{2023}}{2^{2021}-2^{2019}}$ without using a calculator. (4)

2.2 Simplify

2.2.1 $\frac{3^{x+4}-6.3^{x+1}}{7.3^{x+2}}$ (4)

2.2.2 $\sqrt{x+\sqrt{4x-4}}\times\sqrt{x-\sqrt{4x-4}}$ (4)

2.3 Solve for x

2.3.1 $5^{\sqrt{x}}=125$ (3)

2.3.2 $5^{x}+15.5^{-x}=2$ (5)

[20]

Stanmorephysics.com

QUESTION 3

Given the function $f(x)=\frac{4}{x-2}+4$ and $g(x)=2^x-2$

3.1 Write down the equations of the asymptotes of f. (2)

3.2 Calculate the x *and* y intercepts of f. (3)

3.3 Write down the domain of f. (1)

3.4 Determine the equation of the axis of symmetry of f which has a negative gradient (3)

3.5 Calculate the x *and* y intercepts of g. (2)

3.6 Write the equation of the asymptote of g. (1)

3.7 Sketch the graphs of f and g on the same system of axis.

Show all intercepts with axis and asymptotes. (6)

3.8 Determine the values of x for which $f(x)\geq g(x)$ for $x<2$ (2)

3.9 The graph of f has undergone transformation to form the graph of $h(x)=\frac{x+2}{x-2}$.

Determine

3.9.1 the horizontal asymptote of h. (3)


3.9.2 the type of transformation from f to h. (2)

[25]

Stanmorephysics.com

QUESTION 4

The diagram below shows the graphs of $f(x) = ax^2 + bx + c$ and $g(x) = mx + q$. D(-1;4) and F(1;6) are points of intersection of f and g. T and U are the x intercepts of f. E(0;6) is the y-intercept of f and S is the x-intercept of g. VW is a straight line parallel to the y-axis



4.1 Write down the equation of the axis of symmetry of f. (1)

4.2 For which values of x is f increasing. (1)

4.3 Calculate the average gradient of f between D and E. (2)

4.4 Determine the equation of g. (3)

4.5 Show that $f(x) = -x^2 + x + 6$ (5)

4.6 Determine the range of f. (3)

4.7 Calculate the length of SU. (5)

4.8 Determine the values of x for which $f(x) - g(x) \leq 0$. (3)

4.9 Calculate the maximum length of VW. (4)

[27]

TOTAL 100

Copyright reserved

LIMPOPO
PROVINCIAL GOVERNMENT
REPUBLIC OF SOUTH AFRICA

DEPARTMENT OF
EDUCATION

MATHEMATICS MEMO ERRATA

MATHEMATICS P1 GRADE 11

Question 2

2.3	2.3.2	$5^x + 15.5^{-x} = 2$ $5^x + 15.\frac{1}{5^x} = 2$ $5^{2x} + 15 = 2.5^x$ $5^{2x} - 2.5^x + 15 = 0$ $\Delta = 2^2 - 4(1)(15) = -56$ $\Delta < 0$ No real values OR $5^x + 15.5^{-x} = 2$ $5^x + 15.\frac{1}{5^x} = 2$ $5^{2x} + 15 = 2.5^x$ $5^{2x} - 2.5^x + 15 = 0$ Let $5^x = k$ $k^2 - 2.k + 15 = 0$ $k = \frac{2 \pm \sqrt{(-2)^2 - 4(1)(15)}}{2(1)}$ $\Delta < 0$ No real values	✓changing to positive exponents ✓multiplying by the denominator ✓standard form ✓$\Delta < 0$ ✓ No real values OR ✓changing to positive exponents ✓ multiplying by the denominator ✓standard form ✓$\Delta < 0$ ✓ No real values	(5) (5)