LIMPOPO

PROVINCIAL GOVERNMENT

REPUBLIC OF SOUTH AFRICA

DEPARTMENT OF

EDUCATION

SEKHUKHUNE EAST DISTRICT – DISTRICT ON THE RISE

Stanmorephysics.com

GRADE 11

MATHEMATICS

TEST 1

Stanmorephysics.com

11 MARCH 2024

TOTAL MARKS: 100

DURATION: 2 HOURS

This question paper consists of 4 pages including the cover page.

INSTRUCTIONS AND INFORMATION

Read the following instructions carefully before answering the questions.

1. This question paper consists of THREE questions.
2. Answer ALL the questions.
3. Number the answers correctly according to the numbering system used in this question paper.
4. Clearly show ALL calculations, diagrams, graphs, et cetera that you have used in determining your answers.
5. Answers only will not necessarily be awarded full marks.
6. You may use an approved scientific calculator (non-programmable and non-graphical), unless stated otherwise.
7. If necessary, round off answers to TWO decimal places, unless stated otherwise.
8. Diagrams are NOT necessarily drawn to scale.
9. Write neatly and legibly.

.

Stanmorephysics.com

QUESTION 1

Simplify each of the following without using a calculator. Show ALL calculations.

1.1 $\left(\frac{8a^4}{a}\right)^{\frac{2}{3}}$ (4)

1.2 $(27)^{\frac{2}{3}} + \left(\frac{1}{2}\right)^{-2} - 5^0$ (5)

1.3 $\sqrt{32} - \sqrt{18} + 2\sqrt{50}$ (4)

1.4 $\frac{2^{p+4} - 6.2^{p+1}}{5.2^{p+2}}$ (4)

1.5 $\frac{9^x + 3^{2x+1}}{18^x . 2^{-x}}$ (4)

1.6 $\frac{x-3}{x+3} - \frac{x+3}{x^2-9}$ (5)

[26]

Stanmorephysics.com

QUESTION 2

2.1 Solve for x:

2.1.1 $(3x-5)(x+1) = 0$ (2)

2.1.2 $3x^2 + 5x + 1 = 0$ (Correct to two decimal digits.) (3)

2.1.3 $3\sqrt{x+2} - 1 = 2x - 6$ (6)

2.1.4 $\frac{x}{x-1} - \frac{2x+4}{3x+1} = -4$ (6)

2.1.5 $7^{x-1} = 49$ (3)

2.1.6 $(2x-3)(x+1) < 3$ (6)

2.2 Solve for x and y simultaneously:

$2x - 2 = y$ and $2x^2 + y^2 = 2$ (6)

[32]

QUESTION 3

3.1 Determine the values of m for which the following equation has equal roots:

$x^2 - 3x - m = 0$ (4)

3.2 Show that the roots of

$mx^2 + mx - 12 = 0$, will be real and unequal if $m > 0$. (4)

[8]

QUESTION 4

Stanmorephysics.com

4.1 If $\cos 15° = p$, express the following in terms of p.

4.1.1 $\cos 195°$ (3)

4.1.2 $\sin 105°$ (3)

4.1.3 $\sin 15°$ (2)

4.2 $$\frac{\sin(180° - A).\tan A.\sin(90° + A)}{\tan(180° + A).\sin(-A).\cos(-A)}$$ (6)

4.3 $$\frac{\cos(x - 360°).\tan(180 - x).\cos(90° - x)}{\sin(180° + x).(1 - cos^2(-x))}$$ (9)

[23]

QUESTION 5

5.1 Prove that: $(\sin x + \cos x)^2 = 1 + 2\sin x.\cos x$ (3)

5.2 Given:

$$\frac{\sin x}{1 + \cos x} + \frac{\cos x}{\sin x} = \frac{1}{\sin x}$$

5.2.1 Prove the given identity. (5)

5.2.2 For what values of x in the interval $0° \leq x \leq 360°$ will the identity be undefined? (3)

[11]

TOTAL: 100 MARKS